



# AXILOCK

ADLER® Advanced Trauma Series






# The System

## Introduction

The AXILOCK Locking Plate System from AHPL combines the benefits of locked and traditional plating. It offers both locking and non-locking screw options, providing a stable construct that resists angular, torsional, and axial collapse, while aiding fracture reduction. Its straightforward instrument set includes standardized, separated as per plate types for efficient use.



# AXILOCK Large Fragment Plates - Ti<sup>Δ</sup>



## AXILOCK, LCP-FA<sup>†</sup>, Distal Femoral, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 5.0 FA<sup>†</sup> Locking Screws  
 Shaft Holes : 5.0 FA<sup>†</sup> Locking Screws  
 4.5 Cortex Screws

Illustrated image - B0538.1801

Code No.		Holes	Total Length, mm
Left	Right		
B0538.0601	B0538.0602	6	161
B0538.0801	B0538.0802	8	201
B0538.1001	B0538.1002	10	241
B0538.1201	B0538.1202	12	281
B0538.1401	B0538.1402	14	321



## AXILOCK, LCP-FA<sup>†</sup>, Broad Straight 4.5mm, Sterile - Ti<sup>Δ</sup>

Shaft Holes : 5.0 FA<sup>†</sup> Locking Screws  
 4.5 Cortex Screws  
 6.5 Cancellous Screws

Illustrated image - B0551.08

Code No.	Holes	Total Length, mm
B0551.08	8	162
B0551.09	9	180
B0551.10	10	198
B0551.11	11	216
B0551.12	12	234
B0551.13	13	252
B0551.14	14	270
B0551.16	16	306
B0551.18	18	342



## AXILOCK, LCP-FA<sup>†</sup>, Broad Curved 4.5mm, Sterile - Ti<sup>Δ</sup>

Shaft Holes : 5.0 FA<sup>†</sup> Locking Screws  
 4.5 Cortex Screws  
 6.5 Cancellous Screws

Illustrated image - B0555.08

Code No.	Holes	Total Length, mm
B0555.08	8	158
B0555.09	9	176
B0555.10	10	194
B0555.11	11	212
B0555.12	12	230
B0555.13	13	248
B0555.14	14	266
B0555.16	16	302
B0555.18	18	338



## AXILOCK, LCP-FA<sup>†</sup>, Narrow Straight, Sterile - Ti<sup>Δ</sup>

Shaft Holes : 5.0 FA<sup>†</sup> Locking Screws  
 4.5 Cortex Screws  
 6.5 Cancellous Screws

Illustrated image - B0548.06


Code No.	Holes	Total Length, mm
B0548.06	6	125
B0548.07	7	143
B0548.08	8	161
B0548.10	10	197
B0548.12	12	233
B0548.14	14	269

## AXILOCK Screws - Ti\* for Large Fragment Plates



### AXILOCK, Cortex Screw, Ø 4.5mm, Self Tapping, Hex Slot - Ti\*

Illustrated image - B0284.4538



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 5.0mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0280.5036

Code No.	Total Length, mm
B0284.4520	20
B0284.4522	22
B0284.4524	24
B0284.4526	26
B0284.4528	28
B0284.4530	30
B0284.4532	32
B0284.4534	34
B0284.4536	36
B0284.4538	38
B0284.4540	40
B0284.4542	42
B0284.4544	44
B0284.4546	46
B0284.4548	48
B0284.4550	50

Screw For Head + Shaft Holes	
Code No.	Total Length, mm
B0280.5016	16
B0280.5018	18
B0280.5020	20
B0280.5022	22
B0280.5024	24
B0280.5026	26
B0280.5028	28
B0280.5030	30
B0280.5032	32
B0280.5034	34
B0280.5036	36
B0280.5038	38
B0280.5040	40
B0280.5042	42
B0280.5044	44
B0280.5046	46
B0280.5048	48
B0280.5050	50
B0280.5055	55
B0280.5060	60
B0280.5065	65
B0280.5070	70



### AXILOCK, Cancellous Screw, Ø 6.5mm, Threaded Length 16/32mm, Hex. Slot - Ti\*

Illustrated image - B0287.6565, B0287.6555

Code No.		Total Length, mm
Threaded Length 16mm	Threaded Length 32mm	
B0287.6540		40
B0287.6545	B0288.6545	45
B0287.6550	B0288.6550	50
B0287.6555	B0288.6555	55
B0287.6560	B0288.6560	60
B0287.6565	B0288.6565	65
B0287.6570	B0288.6570	70
B0287.6575	B0288.6575	75
B0287.6580	B0288.6580	80
B0287.6585	B0288.6585	85
B0287.6590	B0288.6590	90
	B0288.6595	95
	B0288.6600	100

All the screws are supplied as non-sterile

# AXILOCK Small Fragment Plates - Ti<sup>Δ</sup>

## AXILOCK Screws - Ti\* for Small Fragment Plates



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 3.5mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0278.3520

Code No.	Total Length, mm
B0278.3512	12
B0278.3514	14
B0278.3516	16
B0278.3518	18
B0278.3520	20
B0278.3522	22
B0278.3524	24
B0278.3526	26
B0278.3528	28
B0278.3530	30
B0278.3532	32
B0278.3534	34
B0278.3536	36
B0278.3538	38
B0278.3540	40
B0278.3542	42
B0278.3544	44
B0278.3546	46
B0278.3548	48
B0278.3550	50



### AXILOCK, Cortex Screw, Ø 3.5mm, Self Tapping, Hex Slot - Ti\*

Illustrated image - B0285.3532


Code No.	Total Length, mm
B0285.3512	12
B0285.3514	14
B0285.3516	16
B0285.3518	18
B0285.3520	20
B0285.3522	22
B0285.3524	24
B0285.3526	26
B0285.3528	28
B0285.3530	30
B0285.3532	32
B0285.3534	34
B0285.3536	36
B0285.3538	38
B0285.3540	40
B0285.3542	42
B0285.3544	44



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 2.7mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0276.2718

Code No.	Total Length, mm
B0276.2710	10
B0276.2712	12
B0276.2714	14
B0276.2716	16
B0276.2718	18
B0276.2720	20
B0276.2722	22
B0276.2724	24
B0276.2726	26
B0276.2728	28
B0276.2730	30
B0276.2732	32
B0276.2734	34
B0276.2736	36
B0276.2738	38
B0276.2740	40



### AXILOCK, VA<sup>‡</sup> Locking Screw, Ø 2.7mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0277.2722

Code No.	Total Length, mm
B0277.2710	10
B0277.2712	12
B0277.2714	14
B0277.2716	16
B0277.2718	18
B0277.2720	20
B0277.2722	22
B0277.2724	24
B0277.2726	26
B0277.2728	28
B0277.2730	30
B0277.2732	32
B0277.2734	34
B0277.2736	36
B0277.2738	38
B0277.2740	40
B0277.2742	42
B0277.2744	44
B0277.2746	46
B0277.2748	48
B0277.2750	50

All the screws are supplied as non-sterile



### AXILOCK, LCP-VA<sup>‡</sup>, Distal Humeral Medial, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 2.7 FA<sup>†</sup>/VA<sup>‡</sup> Locking Screws  
Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0534.0801

Code No.		Holes	Total Length, mm
Left	Right		
B0534.0601	B0534.0602	6	138
B0534.0801	B0534.0802	8	162
B0534.1001	B0534.1002	10	186



### AXILOCK, LCP-FA<sup>†</sup>, Olecranon, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 2.7 FA<sup>†</sup> Locking Screws  
Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0536.0402

Code No.		Holes	Total Length, mm
Left	Right		
B0536.0201	B0536.0202	2	73
B0536.0401	B0536.0402	4	99
B0536.0601	B0536.0602	6	125
B0536.0801	B0536.0802	8	151



### AXILOCK, LCP-FA<sup>†</sup>, Anterior Superior Clavicle Plate with extension, 3.5mm, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 2.7 FA<sup>†</sup> Locking Screws  
Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0549.0701

Code No.		Holes	Total Length, mm
Left	Right		
B0549.0501	B0549.0502	5	93
B0549.0701	B0549.0702	7	121
B0549.0801	B0549.0802	8	135

<sup>Δ</sup> Commercially pure titanium as per ISO5832-2

\* Titanium Alloy Ti6Al4V as per ISO5832-3

<sup>†</sup> Fixed Angle

<sup>‡</sup> Variable Angle

# AXILOCK Small Fragment Plates - Ti<sup>Δ</sup>, contd.



## AXILOCK, LCP-FA<sup>†</sup>, Proximal Humeral, Sterile - Ti<sup>Δ</sup>

Head Holes : 3.5 FA<sup>†</sup> Locking Screws  
 Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
 3.5 Cortex Screws

Illustrated image - B0533.07

Code No.	Holes	Total Length, mm
B0533.03	3	102
B0533.05	5	126
B0533.07	7	150
B0533.09	9	174
B0533.11	11	198



## AXILOCK, LCP-FA<sup>†</sup>, Distal Humeral, Extra-Articular, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 2.7 FA<sup>†</sup> Locking Screws  
 Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
 3.5 Cortex Screws

Illustrated image - B0545.0702

Code No.		Holes	Total Length, mm
Left	Right		
B0545.0701	B0545.0702	7	118
B0545.0901	B0545.0902	9	144
B0545.1101	B0545.1102	11	169



## AXILOCK, LCP-VA<sup>‡</sup>, Distal Humeral Dorso-Lateral without support, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 2.7 FA<sup>†</sup>/VA<sup>‡</sup> Locking Screws  
 Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
 3.5 Cortex Screws

Illustrated image - B0535.0701

Code No.		Holes	Total Length, mm
Left	Right		
B0535.0501	B0535.0502	5	123
B0535.0701	B0535.0702	7	147
B0535.0901	B0535.0902	9	171

## AXILOCK Screws - Ti\* for Small Fragment Plates



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 3.5mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0278.3520

Code No.	Total Length, mm
B0278.3512	12
B0278.3514	14
B0278.3516	16
B0278.3518	18
B0278.3520	20
B0278.3522	22
B0278.3524	24
B0278.3526	26
B0278.3528	28
B0278.3530	30
B0278.3532	32
B0278.3534	34
B0278.3536	36
B0278.3538	38
B0278.3540	40
B0278.3542	42
B0278.3544	44
B0278.3546	46
B0278.3548	48
B0278.3550	50



### AXILOCK, Cortex Screw, Ø 3.5mm, Self Tapping, Hex Slot - Ti\*

Illustrated image - B0285.3532

Code No.	Total Length, mm
B0285.3512	12
B0285.3514	14
B0285.3516	16
B0285.3518	18
B0285.3520	20
B0285.3522	22
B0285.3524	24
B0285.3526	26
B0285.3528	28
B0285.3530	30
B0285.3532	32
B0285.3534	34
B0285.3536	36
B0285.3538	38
B0285.3540	40
B0285.3542	42
B0285.3544	44



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 2.7mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0276.2718

Code No.	Total Length, mm
B0276.2710	10
B0276.2712	12
B0276.2714	14
B0276.2716	16
B0276.2718	18
B0276.2720	20
B0276.2722	22
B0276.2724	24
B0276.2726	26
B0276.2728	28
B0276.2730	30
B0276.2732	32
B0276.2734	34
B0276.2736	36
B0276.2738	38
B0276.2740	40



### AXILOCK, VA<sup>‡</sup> Locking Screw, Ø 2.7mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0277.2722

Code No.	Total Length, mm
B0277.2710	10
B0277.2712	12
B0277.2714	14
B0277.2716	16
B0277.2718	18
B0277.2720	20
B0277.2722	22
B0277.2724	24
B0277.2726	26
B0277.2728	28
B0277.2730	30
B0277.2732	32
B0277.2734	34
B0277.2736	36
B0277.2738	38
B0277.2740	40
B0277.2742	42
B0277.2744	44
B0277.2746	46
B0277.2748	48
B0277.2750	50

All the screws are supplied as non-sterile

# AXILOCK Small Fragment Plates - Ti<sup>Δ</sup>, contd.

## AXILOCK Screws - Ti\* for Small Fragment Plates



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 3.5mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0278.3520

Code No.	Total Length, mm
B0278.3512	12
B0278.3514	14
B0278.3516	16
B0278.3518	18
B0278.3520	20
B0278.3522	22
B0278.3524	24
B0278.3526	26
B0278.3528	28
B0278.3530	30
B0278.3532	32
B0278.3534	34
B0278.3536	36
B0278.3538	38
B0278.3540	40
B0278.3542	42
B0278.3544	44
B0278.3546	46
B0278.3548	48
B0278.3550	50



### AXILOCK, Cortex Screw, Ø 3.5mm, Self Tapping, Hex Slot - Ti\*

Illustrated image - B0285.3532

Code No.	Total Length, mm
B0285.3512	12
B0285.3514	14
B0285.3516	16
B0285.3518	18
B0285.3520	20
B0285.3522	22
B0285.3524	24
B0285.3526	26
B0285.3528	28
B0285.3530	30
B0285.3532	32
B0285.3534	34
B0285.3536	36
B0285.3538	38
B0285.3540	40
B0285.3542	42
B0285.3544	44



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 2.7mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0276.2718

Code No.	Total Length, mm
B0276.2710	10
B0276.2712	12
B0276.2714	14
B0276.2716	16
B0276.2718	18
B0276.2720	20
B0276.2722	22
B0276.2724	24
B0276.2726	26
B0276.2728	28
B0276.2730	30
B0276.2732	32
B0276.2734	34
B0276.2736	36
B0276.2738	38
B0276.2740	40

All the screws are supplied as non-sterile



### AXILOCK, LCP-FA<sup>†</sup>, Distal Tibia (Low Bend) Medial, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 3.5 FA<sup>†</sup> Locking Screws  
Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0542.0602

Code No.		Holes	Total Length, mm
Left	Right		
B0542.0601	B0542.0602	6	128
B0542.0801	B0542.0802	8	154
B0542.1001	B0542.1002	10	180
B0542.1201	B0542.1202	12	206



### AXILOCK, LCP-FA<sup>†</sup>, Distal Tibia Antero Lateral, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 3.5 FA<sup>†</sup> Locking Screws  
Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0541.0602

Code No.		Holes	Total Length, mm
Left	Right		
B0541.0401	B0541.0402	4	73
B0541.0601	B0541.0602	6	99
B0541.0801	B0541.0802	8	125
B0541.1001	B0541.1002	10	151



### AXILOCK, LCP-FA<sup>†</sup>, One Third Tubular, Sterile - Ti<sup>Δ</sup>

Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0553.07

Code No.	Holes	Total Length, mm
B0553.04	4	50
B0553.05	5	62
B0553.06	6	74
B0553.07	7	86
B0553.08	8	98
B0553.09	9	110
B0553.10	10	122

# AXILOCK Small Fragment Plates - Ti<sup>Δ</sup>, contd.



## AXILOCK, LCP-FA<sup>†</sup>, Anterior Superior Clavicle Plate 3.5mm, Left/Right, Sterile - Ti<sup>Δ</sup>

Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0550.0802

Code No.		Holes	Total Length, mm
Left	Right		
B0550.0601	B0550.0602	6	102
B0550.0701	B0550.0702	7	113
B0550.0801	B0550.0802	8	139



## AXILOCK, LCP-VA<sup>‡</sup>, Proximal Tibia Lateral, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 3.5 FA<sup>†</sup>/VA<sup>‡</sup> Locking Screws  
Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0539.0802

Code No.		Holes	Total Length, mm
Left	Right		
B0539.0601	B0539.0602	6	117
B0539.0801	B0539.0802	8	147
B0539.1001	B0539.1002	10	177
B0539.1201	B0539.1202	12	207
B0539.1401	B0539.1402	14	237



## AXILOCK, LCP-VA<sup>‡</sup>, Proximal Tibia Postero-Medial, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 3.5 FA<sup>†</sup>/VA<sup>‡</sup> Locking Screws  
Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0540.0601

Code No.		Holes	Total Length, mm
Left	Right		
B0540.0401	B0540.0402	4	64
B0540.0601	B0540.0602	6	90

## AXILOCK Screws - Ti\* for Small Fragment Plates



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 3.5mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0278.3520

Code No.	Total Length, mm
B0278.3512	12
B0278.3514	14
B0278.3516	16
B0278.3518	18
B0278.3520	20
B0278.3522	22
B0278.3524	24
B0278.3526	26
B0278.3528	28
B0278.3530	30
B0278.3532	32
B0278.3534	34
B0278.3536	36
B0278.3538	38
B0278.3540	40
B0278.3542	42
B0278.3544	44
B0278.3546	46
B0278.3548	48
B0278.3550	50



### AXILOCK, VA<sup>‡</sup> Locking Screw, Ø 3.5mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0279.3520

Code No.	Total Length, mm
B0279.3512	12
B0279.3514	14
B0279.3516	16
B0279.3518	18
B0279.3520	20
B0279.3522	22
B0279.3524	24
B0279.3526	26
B0279.3528	28
B0279.3530	30
B0279.3532	32
B0279.3534	34
B0279.3536	36
B0279.3538	38
B0279.3540	40
B0279.3542	42
B0279.3544	44
B0279.3546	46
B0279.3548	48
B0279.3550	50



### AXILOCK, Cortex Screw, Ø 3.5mm, Self Tapping, Hex Slot - Ti\*

Illustrated image - B0285.3532

Code No.	Total Length, mm
B0285.3512	12
B0285.3514	14
B0285.3516	16
B0285.3518	18
B0285.3520	20
B0285.3522	22
B0285.3524	24
B0285.3526	26
B0285.3528	28
B0285.3530	30
B0285.3532	32
B0285.3534	34
B0285.3536	36
B0285.3538	38
B0285.3540	40
B0285.3542	42
B0285.3544	44



### AXILOCK, VA<sup>‡</sup> Locking Screw, Ø 2.7mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0277.2722

Code No.	Total Length, mm
B0277.2710	10
B0277.2712	12
B0277.2714	14
B0277.2716	16
B0277.2718	18
B0277.2720	20
B0277.2722	22
B0277.2724	24
B0277.2726	26
B0277.2728	28
B0277.2730	30
B0277.2732	32
B0277.2734	34
B0277.2736	36
B0277.2738	38
B0277.2740	40
B0277.2742	42
B0277.2744	44
B0277.2746	46
B0277.2748	48
B0277.2750	50

All the screws are supplied as non-sterile

# AXILOCK Small Fragment Plates - Ti<sup>Δ</sup>, contd.

## AXILOCK Screws - Ti\* for Small Fragment Plates



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 3.5mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0278.3520

Code No.	Total Length, mm
B0278.3512	12
B0278.3514	14
B0278.3516	16
B0278.3518	18
B0278.3520	20
B0278.3522	22
B0278.3524	24
B0278.3526	26
B0278.3528	28
B0278.3530	30
B0278.3532	32
B0278.3534	34
B0278.3536	36
B0278.3538	38
B0278.3540	40
B0278.3542	42
B0278.3544	44
B0278.3546	46
B0278.3548	48
B0278.3550	50



### AXILOCK, Cortex Screw, Ø 3.5mm, Self Tapping, Hex Slot - Ti\*

Illustrated image - B0285.3532

Code No.	Total Length, mm
B0285.3512	12
B0285.3514	14
B0285.3516	16
B0285.3518	18
B0285.3520	20
B0285.3522	22
B0285.3524	24
B0285.3526	26
B0285.3528	28
B0285.3530	30
B0285.3532	32
B0285.3534	34
B0285.3536	36
B0285.3538	38
B0285.3540	40
B0285.3542	42
B0285.3544	44



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 2.7mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0276.2718

Code No.	Total Length, mm
B0276.2710	10
B0276.2712	12
B0276.2714	14
B0276.2716	16
B0276.2718	18
B0276.2720	20
B0276.2722	22
B0276.2724	24
B0276.2726	26
B0276.2728	28
B0276.2730	30
B0276.2732	32
B0276.2734	34
B0276.2736	36
B0276.2738	38
B0276.2740	40



### AXILOCK, Cortex Screw, Ø 2.7mm, Self Tapping, Hex Slot - Ti\*

Illustrated image - B0286.2726

Code No.	Total Length, mm
B0286.2712	12
B0286.2714	14
B0286.2716	16
B0286.2718	18
B0286.2720	20
B0286.2722	22
B0286.2724	24
B0286.2726	26
B0286.2728	28
B0286.2730	30

All the screws are supplied as non-sterile



### AXILOCK, LCP-FA<sup>†</sup>, Proximal Tibia Lateral, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 3.5 FA<sup>†</sup> Locking Screws  
Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0546.0802

Code No.		Holes	Total Length, mm
Left	Right		
B0546.0601	B0546.0602	6	117
B0546.0801	B0546.0802	8	147
B0546.1001	B0546.1002	10	177
B0546.1201	B0546.1202	12	207
B0546.1401	B0546.1402	14	237



### AXILOCK, LCP-FA<sup>†</sup>, Small Fragment Plate, Sterile - Ti<sup>Δ</sup>

Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0547.06

Code No.	Holes	Total Length, mm
B0547.05	5	69
B0547.06	6	83
B0547.07	7	95
B0547.08	8	109
B0547.10	10	135
B0547.12	12	161



### AXILOCK, LCP-FA<sup>†</sup>, Distal Fibula Lateral, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 2.7 FA<sup>†</sup> Locking Screws  
Shaft Holes : 3.5 Cortex Screws  
2.7 Cortex Screws

Illustrated image - B0543.0801

Code No.		Holes	Total Length, mm
Left	Right		
B0543.0501	B0543.0502	5	103
B0543.0601	B0543.0602	6	114
B0543.0801	B0543.0802	8	140
B0543.1001	B0543.1002	10	166

# AXILOCK Small Fragment Plates - Ti<sup>Δ</sup>, contd.



## AXILOCK, LCP-FA<sup>†</sup>, Reconstruction Plate, Sterile - Ti<sup>Δ</sup>

Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0552.06

Code No.	Holes	Total Length, mm
B0552.05	5	70
B0552.06	6	84
B0552.07	7	98
B0552.08	8	112
B0552.09	9	126
B0552.10	10	140
B0552.12	12	168
B0552.14	14	196



## AXILOCK, LCP-VA<sup>‡</sup>, Calcaneal, Left/Right, Sterile - Ti<sup>Δ</sup>

Head Holes : 2.7 FA<sup>†</sup>/VA<sup>‡</sup> Locking Screws

Illustrated image - B0544.6501

Code No.		Holes	Total Length, mm
Left	Right		
B0544.6501	B0544.6502	17	64
B0544.7001	B0544.7002	17	70



## AXILOCK, LCP-VA<sup>‡</sup>, Reconstruction Plate, Sterile - Ti<sup>Δ</sup>

Shaft Holes : 3.5 FA<sup>†</sup> Locking Screws  
3.5 Cortex Screws

Illustrated image - B0554.07

Code No.	Holes	Total Length, mm
B0554.05	5	70
B0554.06	6	84
B0554.07	7	98
B0554.08	8	112
B0554.09	9	126
B0554.10	10	140
B0554.12	12	168
B0554.14	14	196

## AXILOCK Screws - Ti\* for Small Fragment Plates



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 3.5mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0278.3520

Code No.	Total Length, mm
B0278.3512	12
B0278.3514	14
B0278.3516	16
B0278.3518	18
B0278.3520	20
B0278.3522	22
B0278.3524	24
B0278.3526	26
B0278.3528	28
B0278.3530	30
B0278.3532	32
B0278.3534	34
B0278.3536	36
B0278.3538	38
B0278.3540	40
B0278.3542	42
B0278.3544	44
B0278.3546	46
B0278.3548	48
B0278.3550	50



### AXILOCK, Cortex Screw, Ø 3.5mm, Self Tapping, Hex Slot - Ti\*

Illustrated image - B0285.3532

Code No.	Total Length, mm
B0285.3512	12
B0285.3514	14
B0285.3516	16
B0285.3518	18
B0285.3520	20
B0285.3522	22
B0285.3524	24
B0285.3526	26
B0285.3528	28
B0285.3530	30
B0285.3532	32
B0285.3534	34
B0285.3536	36
B0285.3538	38
B0285.3540	40
B0285.3542	42
B0285.3544	44



### AXILOCK, FA<sup>†</sup> Locking Screw, Ø 2.7mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0276.2718

Code No.	Total Length, mm
B0276.2710	10
B0276.2712	12
B0276.2714	14
B0276.2716	16
B0276.2718	18
B0276.2720	20
B0276.2722	22
B0276.2724	24
B0276.2726	26
B0276.2728	28
B0276.2730	30
B0276.2732	32
B0276.2734	34
B0276.2736	36
B0276.2738	38
B0276.2740	40



### AXILOCK, VA<sup>‡</sup> Locking Screw, Ø 2.7mm, Self Tapping, Torx Socket - Ti\*

Illustrated image - B0277.2722

Code No.	Total Length, mm
B0277.2710	10
B0277.2712	12
B0277.2714	14
B0277.2716	16
B0277.2718	18
B0277.2720	20
B0277.2722	22
B0277.2724	24
B0277.2726	26
B0277.2728	28
B0277.2730	30
B0277.2732	32
B0277.2734	34
B0277.2736	36
B0277.2738	38
B0277.2740	40
B0277.2742	42
B0277.2744	44
B0277.2746	46
B0277.2748	48
B0277.2750	50

All the screws are supplied as non-sterile

# AXILOCK Distal Radius Plates - Ti<sup>Δ</sup>

## AXILOCK Screws - Ti\* for Distal Radius Plates

  
**AXILOCK,  
FA<sup>†</sup> Locking Screw,  
Ø 2.4mm, Self Tapping,  
Torx Socket - Ti\***

Illustrated image - B0282.2418

Code No.	Total Length, mm
B0282.2412	12
B0282.2414	14
B0282.2416	16
B0282.2418	18
B0282.2420	20
B0282.2422	22
B0282.2424	24

  
**AXILOCK,  
VA<sup>‡</sup> Locking Screw,  
Ø 2.4mm, Self Tapping,  
Torx Socket - Ti\***

Illustrated image - B0283.2418

Code No.	Total Length, mm
B0283.2412	12
B0283.2414	14
B0283.2416	16
B0283.2418	18
B0283.2420	20
B0283.2422	22
B0283.2424	24

  
**AXILOCK,  
Cortex Screw,  
Ø 2.4mm, Self Tapping,  
Hex Slot - Ti\***

Illustrated image - B0289.2418

Code No.	Total Length, mm
B0289.2412	12
B0289.2414	14
B0289.2416	16
B0289.2418	18
B0289.2420	20
B0289.2422	22
B0289.2424	24

All the screws are supplied as non-sterile



**AXILOCK,  
LCP-VA<sup>‡</sup>, Distal Radius Plate,  
6 Head holes, Sterile - Ti<sup>Δ</sup>**

Head Holes : 2.4 FA<sup>†</sup>/VA<sup>‡</sup> Locking Screws

Shaft Holes : 2.4 FA<sup>†</sup> Locking Screws  
2.4 Cortex Screws

Illustrated image - B0537.5751

Code No.		Holes	Total Length, mm
Left	Right		
B0537.2451	B0537.2452	2	45
B0537.3551	B0537.3552	3	54
B0537.4651	B0537.4652	4	66
B0537.5751	B0537.5752	5	75



**AXILOCK,  
LCP-VA<sup>‡</sup>, Distal Radius Plate,  
7 Head holes, Sterile - Ti<sup>Δ</sup>**

Head Holes : 2.4 FA<sup>†</sup>/VA<sup>‡</sup> Locking Screws

Shaft Holes : 2.4 FA<sup>†</sup> Locking Screws  
2.4 Cortex Screws

Illustrated image - B0537.5801

Code No.		Holes	Total Length, mm
Left	Right		
B0537.2501	B0537.2502	2	53
B0537.3601	B0537.3602	3	63
B0537.4701	B0537.4702	4	73
B0537.5801	B0537.5802	5	83



All the Plates are gamma sterilized and supplied in sterile packaging.



® Manufactured & marketed by

**ADLER HEALTHCARE PVT. LTD.**

Plot # A-1, MIDC, Sadavali (Devrukh) Tal. Sangameshwar, Dist. Ratnagiri. Pin - 415804. India.

Tel: 8055136000 / 8055146000 • e-mail: [info@adler-healthcare.com](mailto:info@adler-healthcare.com) • [www.adlerhealthcare.com](http://www.adlerhealthcare.com)



AXILOCK,  
Cancellous Screw, Ø 6.5mm,  
Threaded Length 16/32mm,  
Hex. Slot - Ti

Code No.		Total Length, mm
Threaded Length 16mm	Threaded Length 32mm	
B0287.6540		40
B0287.6545	B0288.6545	45
B0287.6550	B0288.6550	50
B0287.6555	B0288.6555	55
B0287.6560	B0288.6560	60
B0287.6565	B0288.6565	65
B0287.6570	B0288.6570	70
B0287.6575	B0288.6575	75
B0287.6580	B0288.6580	80
B0287.6585	B0288.6585	85
B0287.6590	B0288.6590	90
	B0288.6595	95
	B0288.6600	100

AXILOCK, Fixed Angle  
Locking Screw, Ø 5.0mm,  
Self Tapping, Torx Socket - Ti

Code No.	Total Length, mm
B0280.5016	16
B0280.5018	18
B0280.5020	20
B0280.5022	22
B0280.5024	24
B0280.5026	26
B0280.5028	28
B0280.5030	30
B0280.5032	32
B0280.5034	34
B0280.5036	36
B0280.5038	38
B0280.5040	40
B0280.5042	42
B0280.5044	44
B0280.5046	46
B0280.5048	48
B0280.5050	50
B0280.5055	55
B0280.5060	60
B0280.5065	65
B0280.5070	70

AXILOCK,  
LCP-FA, Narrow Straight,  
Sterile - Ti

Code No.	Holes	Total Length, mm
B0548.06	6	125
B0548.07	7	145
B0548.08	8	160
B0548.10	10	195
B0548.12	12	235
B0548.14	14	270

AXILOCK,  
LCP-FA, Distal Femoral,  
Left/Right, Sterile - Ti

Code No.		Holes	Total Length, mm
Left	Right		
B0538.0601	B0538.0602	6	160
B0538.0801	B0538.0802	8	200
B0538.1001	B0538.1002	10	240
B0538.1201	B0538.1202	12	280
B0538.1401	B0538.1402	14	320

AXILOCK, Cortex Screw,  
Ø 4.5mm, Self Tapping,  
Hex Slot - Ti

Code No.	Total Length, mm
B0284.4520	20
B0284.4522	22
B0284.4524	24
B0284.4526	26
B0284.4528	28
B0284.4530	30
B0284.4532	32
B0284.4534	34
B0284.4536	36
B0284.4538	38
B0284.4540	40
B0284.4542	42
B0284.4544	44
B0284.4546	46
B0284.4548	48
B0284.4550	50

